

A "Version With Markings to Show Changes Made" is attached with respect to the amendments to the claims made above.

Respectfully submitted,

Date: March 20, 2002

By Stephen B. Shear  
Stephen B. Shear  
Registration No. 28,116  
Attorney for Applicant


WARE, FRESSOLA, VAN DER SLUYS  
& ADOLPHSON LLP  
Bradford Green, Building Five  
755 Main Street, P.O. Box 224  
Monroe, Connecticut 06468  
Telephone No. (203) 261-1234  
Facsimile No. (203) 261-5676

Customer No. 004955

Version With Markings to Show Changes Made

In the claims:

1. (Amended) A liquid preparation for use in conjunction with contact lenses [containing] comprising 0.3 to 50 ppm of a polyamine having recurring units of the formula (I):




wherein n is 0 or 1.

2. (Amended) The liquid preparation of Claim 1, [which contains] further comprising at least one member selected from the group consisting of an antiseptic agent, a chelating agent, a buffer, an isotonizing agent, a thickener, a surface active agent and an antibacterial assistant.

3. (Amended) The liquid preparation of Claim [1]2, [which is used as a shipping solution, a preserving solution, a cleaning solution or a disinfecting solution, or for at least two purposes selected from preservation, cleaning and disinfection] wherein the surface active agent is a member selected from the group consisting of a nonionic surface active agent, a cationic surface agent and an ampholytic surface active agent.

4. (Amended) [The liquid preparation of Claim 1, wherein the surface active agent is a member selected from the group consisting of a nonionic surface active agent, a cationic surface active agent and an ampholytic surface active agent.] A process for preserving, cleaning or disinfecting contact lenses comprising contacting said lenses with a liquid preparation comprising 0.3 to 50 ppm of a polyamine having recurring units of the formula (I):





---

wherein n is 0 or 1.

Please add the following new claim 5.

5. A process for shipping contact lenses comprising shipping said lenses in a solution comprising 0.3 to 50 ppm of a polyamine having recurring units of the formula (I):



wherein n is 0 or 1.